

Dutch Quality

*Made with
Passion*

*Waterslides
Waterplaystructures
Sprayparks*



AVASTO
maatwerk in recreatietechniek

Products & specifications

Inhoudsopgave

OVER AVASTO	2
GLIJBANEN	
MULTISLIDE	3
FAMILYSLIDE	4
SPEEDSLIDE Ø800	5
OPEN 700	6
FAMILYSLIDE Ø1200	7
BODY CONE	8
RAFT CONE	9
BOWL SLIDE	10
MEGA BOWL	11
DUO RACER	12
BIG OVAL	13
RAFT FREEFALL	14
RAFT WALL	15
RIVER RIDE	16
WAVE THRILL	17
MAT RACER	18
DRY WAVE RIDER	19
OPTIES & CONTACT	20



AVASTO recreatietechniek is gespecialiseerd in zwembadgebonden techniek en onderdeel van AVASTO B.V. De afgelopen decennia heeft AVASTO zich bewezen als een betrouwbare partner met veel kennis en een hoge kwaliteitsstandaard. Vanuit onze fabriek in Oudewater zijn er veel ontwikkelingen in de markt gezet op het gebied van Spa & Wellness en verlichting en effecten voor o.a. waterglijbanen, waterspeeltuinen en sprayparken. Het uitgangspunt is hierbij altijd een kwalitatief hoogwaardig product, duurzaamheid en waar mogelijk volledig in eigen huis ontwikkeld en geproduceert.

In 2023 ontstond een unieke kans om een groot deel van het personeel van van Egdom Recreatietechniek B.V. over te nemen en daarmee nog een grote stap te zetten in deze markt. De enorme kennis en ambitie van het team van Egdom sloot perfect aan bij de visie van AVASTO en geeft de mogelijkheid om het volledige pakket van waterglijbanen, waterspeeltuinen en sprayparken inclusief alle denkbare verlichting en effecten volledig in eigen beheer te produceren en in de markt te zetten. Door te innoveren, onze betrokken mensen en hoge ambitie zijn wij in staat onze klanten continu te verrassen en producten te leveren die passen binnen hun budget, een lange levensduur hebben en veel plezier bieden.

Door ook service en onderhoud aan te bieden, willen wij voor u een totaal partner zijn voor al uw zwembadgebonden projecten!



Milieu en energieverbruik

Voor zwembaden is een van de grote uitdagingen de continue strijd tussen een prettige ervaring, zonder het milieu enorm te belasten of hoge kosten maken. (te) koud zwembadwater, het stroomverbruik van een jacuzzi of sauna of het regelmatig moeten vervangen van producten, die door de corrosieve zwembadomgeving een korte levensduur hebben. Daarom denken we niet alleen graag met u mee in de beste oplossing voor reparatie of vervanging, maar kijken we ook naar stroomverbruik en levensduur. Uiteraard zijn onze producten van de allerhoogste kwaliteit en in hoge mate corrosiebestendig wat de levensduur verlengt. Daarnaast kunnen we met onze slimme sensoren en software ook schakelingen voor u maken, om stroomverbruik op bijvoorbeeld pompen, verlichting en verwarming tot een minimum te beperken.


MULTISLIDE



SPECIFICATIONS

SERIES	OPEN BODY SLIDES
WIDTH	1- 8 LANES
CAPACITY	250 PEOPLE PER LANE PER HR.
AVERAGE DECL.	10-15%
USERS	FAMILY, TEENS & ADULTS
PUMP CAP.	20+ M³/H PER LANE
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE




FAMILYSLIDE



SPECIFICATIONS

SERIES	OPEN BODY SLIDES
WIDTH	2000-5000MM
CAPACITY	1000 PEOPLE PER HR.
AVERAGE DECL.	20%
USERS	FAMILY, TEENS & ADULTS
PUMP CAP.	20+ M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



SPEEDSLIDE Ø800



SPECIFICATIONS

SERIES	TUBE BODY SLIDES
WIDTH	Ø800
CAPACITY	250 PEOPLE PER HR.
AVERAGE DECL.	12-45%
USERS	TEENS & ADULTS
PUMP CAP.	80-100 M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE




OPEN 700



SPECIFICATIONS

SERIES	TUBE BODY SLIDES
WIDTH	Ø800
CAPACITY	250 PEOPLE PER HR.
AVERAGE DECL.	12-45%
USERS	TEENS & ADULTS
PUMP CAP.	80-100 M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



FAMILYSLIDE Ø1200



SPECIFICATIONS

SERIES	BODY SLIDES
WIDTH	Ø1200
CAPACITY	200 PEOPLE PER HR.
AVERAGE DECL.	5,7%
USERS	FAMILIES, TEENS & ADULTS
PUMP CAP.	120-150 M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



BODY CONE



SPECIFICATIONS

SERIES	BODY SLIDES
WIDTH	OPEN 700 & Ø1200
CAPACITY	250 PEOPLE PER HR.
AVERAGE DECL.	10-15%
USERS	FAMILIES, TEENS & ADULTS
PUMP CAP.	150-200 M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



RAFT CONE




SPECIFICATIONS

SERIES	OPEN / CLOSED RAFT SLIDES
WIDTH	ø1400 + CONE 6.5M
CAPACITY	MEDIUM CAPACITY
AVERAGE DECL.	10%
USERS	FAMILIES, TEENS & ADULTS
PUMP CAP.	500+ M ³ /H
END OPTIONS	RUNOUT AREA, POOL
OPTIONS	ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



BOWL SLIDE




SPECIFICATIONS

SERIES	BIG SLIDES
WIDTH	Ø800 & Ø8400
CAPACITY	200 PEOPLE PER HR.
AVERAGE DECL.	12-45%
USERS	FAMILIES, TEENS & ADULTS
PUMP CAP.	2 x 90 M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



MEGA BOWL



SPECIFICATIONS

SERIES	OPEN RAFT SLIDES
WIDTH	12M+ BOWL SIZE
CAPACITY	350 PEOPLE PER HR.
AVERAGE DECL.	15%
USERS	TEENS & ADULTS
PUMP CAP.	425 M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



DUO RACER



SPECIFICATIONS

SERIES	OPEN / CLOSED RAFT SLIDES
WIDTH	2 x 800MM
CAPACITY	350+ PEOPLE PER HR.
AVERAGE DECL.	10-15%
USERS	TEENS & ADULTS
PUMP CAP.	200 M ³ /H
END OPTIONS	SKIMOUT, POOL
OPTIONS	ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



BIG OVAL



SPECIFICATIONS

SERIES	RAFT SLIDES
WIDTH	OVAL 2500
CAPACITY	700 PEOPLE PER HR.
AVERAGE DECL.	10%
USERS	FAMILIES, TEENS & ADULTS
PUMP CAP.	500 M³/H
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



RAFT FREEFALL



SPECIFICATIONS



SERIES	OPEN RAFT SLIDES
WIDTH	VARIES
CAPACITY	350 PEOPLE PER HR.
AVERAGE DECL.	10 - 45%
USERS	TEENS & ADULTS
PUMP CAP.	200+ M ³ /H
END OPTIONS	SKIMOUT
OPTIONS	ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



RAFT WALL




SPECIFICATIONS

SERIES	OPEN RAFT SLIDES
WIDTH	VARIES
CAPACITY	350 PEOPLE PER HR.
AVERAGE DECL.	60%
USERS	TEENS & ADULTS
PUMP CAP.	120 M³/H
END OPTIONS	SKIMOUT
OPTIONS	ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



RIVER RIDE




SPECIFICATIONS

SERIES	RIVER RIDES
WIDTH	VARIABLE, SIDE CONNECTIONS
CAPACITY	HIGH CAPACITY
AVERAGE DECL.	0+%
USERS	FAMILIES, TEENS & ADULTS
PUMP CAP.	1500+ M ³ /H
END OPTIONS	SKIMOUT, POOL
OPTIONS	ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



WAVE THRILL



SPECIFICATIONS


SERIES	OPEN RAFT SLIDES
WIDTH	2 x 2000MM
CAPACITY	300+ PEOPLE PER HR.
AVERAGE DECL.	35%
USERS	TEENS & ADULTS
PUMP CAP.	200 M ³ /H
END OPTIONS	SKIMOUT
OPTIONS	ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE




MATRACER



SPECIFICATIONS

SERIES	OPEN RAFT SLIDES
WIDTH	1 - 8 LANES
CAPACITY	250 PEOPLE PER LANE PER HR.
AVERAGE DECL.	13 - 20%
USERS	FAMILY, TEENS & ADULTS
PUMP CAP.	20+ M³/H PER LANE
END OPTIONS	SKIMOUT & POOL
OPTIONS	DAYLIGHT & ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE



FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



DRY WAVE RIDER



SPECIFICATIONS

SERIES	SEMI DRY RIDES
WIDTH	1 BOAT PER SLIDE
CAPACITY	MEDIUM CAPACITY
AVERAGE DECL.	10-15+%
USERS	FAMILIES, TEENS & ADULTS
PUMP CAP.	20+ M ³ /H
END OPTIONS	RUNOUT AREA
OPTIONS	ELECTRONIC EFFECTS TIMINGSYSTEM AND MORE

FOR A VIDEO OF THIS
ATTRACTION, SCAN THE
QR CODE



Opties & Contact




Engineering

Onze engineers begeleiden u in het volledige bouwproces en maken technische tekening en schema's voor het bepalen van de producten en afmetingen. Samen met u en eventueel uw architect maken wij de overzichtstekening voor het bepalen van de locatie van de producten en verzorgen wij de 3d renderingen. Een hoogwaardig product waarbij u zo veel mogelijk ontzorgt wordt, is onze visie op het ontwerpproces.



Productie

In onze moderne fabriek te Oudewater werkt ons enthousiaste team geheel volgens de modernste richtlijnen waaronder de NEN1090-1 en de NEN1069. Ons hoogwaardige machinepark geeft ons de mogelijkheid om u te voorzien van de beste kwaliteit producten op het gebied van recreatie, staalbouw, electro en besturingstechniek en meer. Dutch Quality, made with passion!



Montageservice

Onze producten kunnen door onze monteurs vakkundig worden geplaatst. Al onze monteurs zijn VCA gecertificeerd. Ook is het mogelijk om met uw eigen technische team, ondersteund door een AVASTO supervisor, te werken. De jarenlange ervaring van onze binnen en buitendienst zorgen voor een probleemloos traject. Wij denken graag met u mee om de installatie efficiënt en binnen budget plaats te laten vinden. Uiteraard kunt u ook voor uw onderhoud bij ons terecht.



Populierenweg 41A
3421TX Oudewater



+31 (0)348 560 297
mail@avasto.nl



www.avasto.nl
www.slidesensations.com